

विक्रान्त / VIKRANT

वैज्ञानिक-ई/निदेशक एवं प्रमुख
Scientist-E/Director & Head
दूरभाष/Tel. : 0120-2979870, 2979892
ई-मेल/E-mail : nobo-bis@bis.gov.in
वेबसाइट/Website : www.bis.gov.in



भारत सरकार

GOVERNMENT OF INDIA

भारतीय मानक ब्यूरो

BUREAU OF INDIAN STANDARDS

उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय
Ministry Of Consumer Affairs Food & Public Distribution



मानक: पथप्रदर्शक:

नोएडा शाखा कार्यालय/NOIDA BRANCH OFFICE
राष्ट्रीय मानकीकरण प्रशिक्षण संस्थान (परिसर) ए-20/21,
संस्थागत क्षेत्र, सेक्टर-62, नोएडा-201309 (उ.प्र.)
National Institute of training for Standardization (Campus), A-20/21,
Institutional Area, Sector-62, Noida-201309 (U.P.)

Our Ref :NOBO/CM/L-8800204916

Dated: 06.11.2025

Subject: Grant of BIS Certification Marks Licence No 8800204916 as per IS 15909:2020.

M/s MARUTI RUB-PLAST PRIVATE LIMITED
D-22, 23, SITE-IV, SURAJPUR, UPSIDC ,
INDUSTRIAL AREA, GAUTAM BUDDH NAGAR,
UTTAR PRADESH-201306

Dear Madam/Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product:- PVC Geomembranes for Lining Specification

Grade/Class/Type/Variety

PVC Geomembranes for Lining, Category B, Type VI

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.
2. The number assigned to this licence is **CM/L- 8800204916** which has been made operative from **2025-09-21** and is valid up to **2026-09-20**. The licence number should invariably be referred to in your future correspondence.

According to sub-regulation (1) & (3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS (Conformity assessment) Regulation 2018 is payable by you with effect from **2025-09-21** for the period of validity of the licence in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. **Our Receipt No. AA88PC2025001372** dated **2025-08-22** for the licence fee and the minimum marking fee for the first operative period is already issued.
4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. The Scheme of Testing and Inspection as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

9. This licence is granted for your factory situated at **D-22, 23, SITE-IV, SURAJPUR, UPSIDC, INDUSTRIAL AREA, GAUTAM BUDDH NAGAR, UTTAR PRADESH-201306**, Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

10. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on **14.09.2025** by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation

Thanking you,

Yours faithfully,



(विक्रान्त)

वैज्ञानिक ई/निदेशक एवं प्रमुख
नोएडा शाखा कार्यालय